



2018 PRODUCT BROCHURE



**FIERCELY
INDEPENDENT.**

IT'S TIME TO MOW SOME TURF

I don't need to. I *want* to. I don't need outside opinions—someone pointing out the tough spots. I know them like the back of my hand. I don't need bells and whistles—or empty promises either. I need equipment that works when, how and where I need it to. Stuff that's backed by a warranty I can depend on. And if something needs a tweak—I don't need anyone to do it for me. I've got this.

Because this is my turf.

BUILT LIKE A TANK

BOB-CAT® mowers take a beating that would send other machines back to the shop. Call it overkill if you want, but they're built this way because we know what it takes to stand up to—and then cut down and spit out—whatever the terrain throws in your way.

CUTS LIKE A STRAIGHT RAZOR

It's all about precision—the kind of cut and finish you'd expect from your barber. That's because your BOB-CAT® is equipped with a deck that vacuum lifts every blade of grass, making it stand at attention before steel blades mow 'em down.



WORKS FOR YOU

BOB-CAT® mowers are built like you'd build them and backed by the best warranty in the business. But if you're the kind of person who wants to tinker, these machines have industry-leading serviceability and are so easy to maintain, your kid could do it.



AS VICIOUS AS THEY LOOK

These ruggedly constructed and ruthlessly durable mower decks provide maximum vacuum and lift to stand grass up, razor sharp blades to take it down, and superior baffle systems to disperse it evenly. They help you take quality of cut up a notch when mowing is job one.

OPTIMUM MOWING WITH AIRFX™ CUTTING SYSTEMS

The AirFX™ mowing deck provides a unique combination of a deeper profile deck for improved vacuum; newly engineered bolt-on, replaceable, gapped baffles for more efficient airflow and enhanced serviceability; a bull nose design that stands the grass up before it reaches the mower blades; and improved deck cleanliness. Limited lifetime deck, deck cradle and engine deck warranty.

SUPERIOR DISCHARGE WITH DURADECK™

The DuraDeck™ design is tough enough to handle everything commercial jobs dish out. The DuraDeck Cutting System with Double-Wave™ bolt-on baffles lifts grass for a clean cut and disperses clippings evenly. Limited lifetime deck, deck cradle and engine deck warranty.


BULLETPROOF DURABILITY WITH TUFDECK™ AND TUFDECK™ PRO

The rugged BOB-CAT® TufDeck™ and TufDeck™ Pro mower decks feature heavy-gauge, fabricated steel decks that make grass stand up and take what's coming to it from blades that spin up to more than 17,000 fpm.


AirFX™



DuraDeck™



TufDeck™ Pro/TufDeck™



Cutting System	TufDeck™	TufDeck™ Pro	DuraDeck™	AirFX™
Deck Widths	42", 48", 52", 61"	48", 52", 61"	36", 42", 48", 52", 61", 72"	52", 61"
Deck	10-gauge formed, 3- and 7-gauge reinforcements, 7-gauge spindle support plates		Dual 10-gauge layers, 3- and 7-gauge reinforcements	
Models	CRZ™, XRZ™	XRZ™ Pro, XRZ™ Pro RS	QuickCat™, FastCat™ Pro RS and SE, Predator-Pro™ RS (72"), Walk-Behinds	ProCat™ RS, Predator-Pro™ RS (61")

“BRING IT ON.
I’VE GOT THIS.”

MODEL

Predator-Pro™ RS

MODEL #	ENGINE MAKE	TRANSMISSION	DECK SIZE
942545	Kawasaki® FX1000V	Hydro-Gear™ Pumps with Parker Wheel Motors	61"
942519	Kawasaki® FX1000V	Hydro-Gear™ Pumps with Parker Wheel Motors	72"

Five reasons to own:

Extra high-back, mechanical suspension seat with weight adjustment

Dual fuel tanks with 14-gallon capacity

Productive ground speeds up to 12.5 MPH with 24-inch Zero-T drive tires*

Rugged 61-inch AirFX™ or 72-inch DuraDeck™ Cutting System

Backed by our MOW WITH CONFIDENCE™ Limited Warranty – 6-year / 2,750 hour



BECAUSE YOU'RE IN ^{61"}THIS TO
MAKE MONEY

* No-Flat caster wheels are standard on Predator-Pro RS

“POWERFUL. COMFORTABLE.
AND DAMN PRECISE.”

MODEL
ProCat™ RS

MODEL #	ENGINE MAKE	TRANSMISSION	DECK SIZE
942546	Kawasaki® FX730V	Hydro-Gear™ Pumps with Parker Wheel Motors	52"
942547	Kawasaki® FX850V	Hydro-Gear™ Pumps with Parker Wheel Motors	52"
942542	Kawasaki® FX801V	Hydro-Gear™ Pumps with Parker Wheel Motors	61"
942543	Kawasaki® FX850V	Hydro-Gear™ Pumps with Parker Wheel Motors	61"

Five reasons to own:

High-back, mechanical suspension seat with weight adjustment

Dual fuel tanks with 14-gallon capacity

Productive ground speeds up to 11.5 MPH with large Zero-T drive tires*

New AirFX™ deep deck with larger discharge chute for the best-quality cut

Backed by our MOW WITH CONFIDENCE™
Limited Warranty – 6-year / 2,750 hour



BUILT FOR
SERIOUS BUSINESS

* 52-inch models feature 23-inch Zero-T drive tires.
61-inch models feature 24-inch Zero-T drive tires.

"SHARP, SWIFT AND AGILE."

MODEL

QuickCat™

MODEL #	ENGINE MAKE	TRANSMISSION	DECK SIZE
912360	Kawasaki® FX600V	Hydro-Gear™ ZT-3100 Hydrostatic Transaxles	36"
912480	Kawasaki® FX651V	Hydro-Gear™ ZT-3400 Hydrostatic Transaxles	48"
912520	Kawasaki® FX691V	Hydro-Gear™ ZT-3400 Hydrostatic Transaxles	52"
912610	Kawasaki® FX730V	Hydro-Gear™ ZT-3400 Hydrostatic Transaxles	61"

Five reasons to own:

Vibration-dampening, stand-on operator platform with flip-up feature

Productive ground speeds up to 10.5 MPH with 23-inch Zero-T drive tires*

Large, 6.5-gallon capacity fuel tank*

Heavy-duty DuraDeck™ Cutting System

Backed by our MOW WITH CONFIDENCE™
Limited Warranty – 6-year / 2,000 hour



STAND UP TO DOWNTIME

* 36-inch model has ground speeds of 9 MPH with 20-inch Zero-T drive tires and a 5.1-gallon fuel tank.

“RELIABILITY IS WHAT I’M LOOKING FOR.”

MODEL

FastCat™ Pro RS & SE

MODEL #	ENGINE MAKE	TRANSMISSION	DECK SIZE
942411 RS	Kawasaki® FX850V	Hydro-Gear™ ZT-3400 Hydrostatic Transaxles	52"
942412 RS	Kawasaki® FX850V	Hydro-Gear™ ZT-3400 Hydrostatic Transaxles	61"
942297 SE	Kawasaki® FX541V	Hydro-Gear™ ZT-3100 Hydrostatic Transaxles	36"
942302 SE	Kawasaki® FX600V	Hydro-Gear™ ZT-3100 Hydrostatic Transaxles	42"

Five reasons to own:

High-back, full mechanical suspension seat with weight adjustment

Dual fuel tanks with 9.5-gallon capacity

Productive ground speeds up to 10 MPH with 23-inch Zero-T drive tires*

Heavy-duty DuraDeck™ Cutting System

Backed by our MOW WITH CONFIDENCE™ Limited Warranty – 6-year / 2,000 hour



FASTER AND MORE FURIOUS

* 36-inch model features speeds up to 8 MPH with 20-inch Zero-T drive tires.

**“I’M LOOKING TO MAKE A BUCK,
NOT MESS AROUND.”**

MODEL

XRZ™ Pro RS

MODEL #	ENGINE MAKE	TRANSMISSION	DECK SIZE
942630	Kawasaki® FX651V	Hydro-Gear™ ZT-3400 Hydrostatic Transaxles	48"
942631	Kawasaki® FX691V	Hydro-Gear™ ZT-3400 Hydrostatic Transaxles	52"
942632	Kawasaki® FX730V	Hydro-Gear™ ZT-3400 Hydrostatic Transaxles	61"

Five reasons to own:

High-back, full mechanical suspension seat with weight adjustment

Productive ground speeds up to 10 MPH with 23-inch Zero-T drive tires

Dual fuel tanks with 9.5-gallon capacity

TufDeck™ Pro Cutting System with chain-hung deck and professional-grade spindle assemblies

Backed by our MOW WITH CONFIDENCE™ Limited Warranty – 6-year / 1,200 hour



**OWN YOUR TURF,
ON YOUR TERMS**

"THE BEST-LOOKING LAWN ON THE BLOCK."

MODEL

XRZ™ Pro

MODEL #	ENGINE MAKE	TRANSMISSION	DECK SIZE
942620	Kawasaki® FX651V	Hydro-Gear™ ZT-3400 Hydrostatic Transaxles	48"
942621	Kawasaki® FX691V	Hydro-Gear™ ZT-3400 Hydrostatic Transaxles	52"
942622	Kawasaki® FX730V	Hydro-Gear™ ZT-3400 Hydrostatic Transaxles	61"

Five reasons to own:

Adjustable, high-back seat with elastomeric vibration control (EVC) and armrests

Productive ground speeds up to 8 MPH with 22-inch Zero-T drive tires

Large, 6-gallon capacity fuel tank

TufDeck™ Pro Cutting System with chain-hung deck and professional-grade spindle assemblies

Backed by our MOW WITH CONFIDENCE™ Limited Warranty – 6-year /1,000 hour



BUILT FOR PROS AND THOSE WHO MOW LIKE 'EM

"I MOW BECAUSE I WANT TO."

MODEL
XRZ™

MODEL #	ENGINE MAKE	TRANSMISSION	DECK SIZE
942610	Kawasaki® FR651V	Hydro-Gear™ ZT-3100 Hydrostatic Transaxles	48"
942611	Kawasaki® FR691V	Hydro-Gear™ ZT-3100 Hydrostatic Transaxles	52"
942612	Kawasaki® FR730V	Hydro-Gear™ ZT-3100 Hydrostatic Transaxles	61"

Five reasons to own:

Adjustable, high-back seat with elastomeric vibration control (EVC) and armrests

Productive ground speeds up to 8 MPH with 22-inch Zero-T drive tires

Large, 6-gallon capacity fuel tank

TufDeck™ professional-grade mower deck

Backed by our MOW WITH CONFIDENCE™ Limited Warranty – 6-year / 600 hour



MY TURF, MY TERMS

“IT’S MY LAWN. NO ONE ELSE TOUCHES IT.”

MODEL
CRZ™

MODEL #	ENGINE MAKE	TRANSMISSION	DECK SIZE
942607	Kawasaki® FR651V	Hydro-Gear™ ZT-2800 Hydrostatic Transaxles	42"
942604	Kawasaki® FR651V	Hydro-Gear™ ZT-2800 Hydrostatic Transaxles	48"
942605	Kawasaki® FR651V	Hydro-Gear™ ZT-2800 Hydrostatic Transaxles	52"
942606	Kawasaki® FR691V	Hydro-Gear™ ZT-2800 Hydrostatic Transaxles	61"

Five reasons to own:

Adjustable, high-back seat with spring-dampened suspension and armrests

Large, 6-gallon capacity fuel tank

Productive ground speeds up to 7 MPH with 20-inch Zero-T drive tires

TufDeck™ professional-grade mower deck

Backed by our MOW WITH CONFIDENCE™ Limited Warranty – 5-year / 500 hour



TO HELL WITH THE JONESES, LET THEM
KEEP UP WITH ME

"THE DEVIL IS IN THE DETAILS."

MODEL

Commercial 21" Walk-Behind

MODEL #	ENGINE MAKE	DECK SIZE	START
922106	Kawasaki® FJ180V	21"	Zone
922107	Kawasaki® FJ180V	21"	BBC

Five reasons to own:

Heavy-duty, easily adjustable, one-piece operator handle

Productive, 3-speed, rear-wheel drive with 9-inch drive tires

Models available both in zone and brake, blade, clutch (BBC) start options

Heavy-duty, cast-aluminum deck equipped with edge guards

Backed by our 1-year Mower / 3-year Engine Limited Warranty



FINISH THE JOB

“BUILT FOR CONTROL FREAKS LIKE ME.”

MODEL

Hydro-Drive Walk-Behind

MODEL #	ENGINE MAKE	TRANSMISSION	DECK SIZE
933305	Kawasaki® FS481V	Hydro-Gear™ Variable Displacement Pumps	36"
934306	Kawasaki® FS541V	Hydro-Gear™ Variable Displacement Pumps	48"
935308	Kawasaki® FS600V	Hydro-Gear™ Variable Displacement Pumps	52"
934307	Kawasaki® FS541V (Electric Start)	Hydro-Gear™ Variable Displacement Pumps	48"
933331	Kawasaki® FS541V (Z-Control)	Hydro-Gear™ Variable Displacement Pumps	36"
934332	Kawasaki® FS541V (Z-Control)	Hydro-Gear™ Variable Displacement Pumps	48"

Five reasons to own:

Large, 5-gallon capacity fuel tank

Available with patented Z-Control™ or PistolGrip™ controls

Productive ground speeds up to 6 MPH with 16-inch Zero-T drive tires

Heavy-duty DuraDeck™ Cutting System

Backed by our MOW WITH CONFIDENCE™
Limited Warranty – 3-year / 2,500 hour



WALK THE WALK

“DOWN, DIRTY AND RELIABLE.”

MODEL

Gear-Drive Walk-Behind

MODEL #	ENGINE MAKE	TRANSMISSION	DECK SIZE
932007	Kawasaki® FS481V	Peerless® 5-speed with Rev Assist	32"
933007	Kawasaki® FS481V	Peerless® 5-speed with Rev Assist	36"
934007	Kawasaki® FS481V	Peerless® 5-speed with Rev Assist	48"

Five reasons to own:

Comfortable handling with intuitive SoftGrip™ controls

Productive ground speeds up to 5.1 MPH with 13-inch Zero-T drive tires

Large, 5-gallon capacity fuel tank

Heavy-duty DuraDeck™ Cutting System

Backed by our MOW WITH CONFIDENCE™ Limited Warranty – 3-year / 2,500 hour

SHIFT INTO HIGH PERFORMANCE



**“MY MOWER
DESERVES THE BEST.”**


Parts & Accessories

	Predator-Pro™ RS	ProCat™ RS
Mulching baffle kit: Eliminator blades	61"	52", 61"
Mulching baffle kit: Medium lift blades		
Eco plate	61", 72"	52", 61"
Grass catcher: Poly-dump, 3.75 or 5.0 bushel		
Grass catcher: Metal, jumbo, easy-dump, 4.3 cu. ft.		
Weight kit		
Hydro cold-start kit		
BOSS-VAC™ Pro 12-bushel collection system	X	X
BOSS-VAC™ 8-bushel collection system		
Deck striping kit	61"	52", 61"
ZT hitch kit	X	X
No-flat caster wheels option	STD	X
61" wide track kit: Widens track on unit	X	X
Magnetic light kit, 12V	X	X

QuickCat™	FastCat™ Pro RS & SE	XRZ™ Pro RS, XRZ™ Pro, XRZ™	CRZ™	Walk-Behinds
36", 48", 52", 61"	36", 52", 61"	48", 52", 61"	48", 52", 61"	32", 36", 48", 52"
	42"		42"	
36", 48", 52", 61"	36", 42", 52", 61"	48", 52", 61"	42", 48", 52", 61"	32", 36", 48", 52"
X	X	X	X	X
				X
X				36", 48", 52"
				X
	X (RS)			
	61"			
	X	X		
X	X	X	X	
X	X	X	X	

**NO ONE TOUCHES MY
MACHINE BUT ME**

“LEAVE YOUR LAWN LOOKING LIKE A FRESHLY VACUUMED RUG.”

Five reasons to own:

Available in 8- or 12-bushel, dump-from-seat models and 8- or 12-bushel, collection-bag models

Front counter-weight system to improve stability

Strong and durable outer support frame

Large, oversized air vent hood for enhanced collector filling

Patented Vertical Lift™ electric dump operation



HIGH-POWERED, CLOG-REDUCING MEAN MACHINE



THE FREEDOM TO DO IT YOUR WAY

Like you, we don't worry about what others are doing or saying. We don't concern ourselves with popular notions of what a mower *is* or *was*. We only care about what it *can* be—precisely the same way you think about your business, your home, your life. That's why you choose BOB-CAT®. And that's why we work harder each day to meet your approval.

FIERCELY INDEPENDENT.

One BOB-CAT Lane, P.O. Box 0469
Johnson Creek, WI 53038-0469

1.866.469.1242 | bobcatturf.com



©2018 Schiller Grounds Care, Inc. All Rights Reserved. P/N 900001A 1/2018